

## Refine Search

### Search Results -

Term	Documents
(8 AND 19).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1
(L19 AND L8).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L22

Refine Search

Recall Text



Clear

Interrupt

### Search History

DATE: Thursday, October 27, 2005   [Printable Copy](#)   [Create Case](#)

**Set Name Query**  
side by side

**Hit Count Set Name**  
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L22</u>	L19 and l8	1	<u>L22</u>
<u>L21</u>	L19 and l7	2	<u>L21</u>
<u>L20</u>	L19 and l6	10	<u>L20</u>
<u>L19</u>	L18 and (configur\$5 or reconfigur\$5)	505	<u>L19</u>
<u>L18</u>	L17 and (programmable or programable or eras\$5)	554	<u>L18</u>
<u>L17</u>	l3 and (array\$1 or matrix or matrices)	638	<u>L17</u>
<u>L16</u>	l5 and l8	1	<u>L16</u>
<u>L15</u>	l5 and l7	5	<u>L15</u>
<u>L14</u>	l5 and l6	15	<u>L14</u>
<u>L13</u>	L10 and l8	0	<u>L13</u>
<u>L12</u>	L10 and l7	1	<u>L12</u>
<u>L11</u>	L10 and l6	6	<u>L11</u>
<u>L10</u>	L9 and flash	238	<u>L10</u>

<u>L9</u>	(sram\$1 or dram\$1) and l5	288	<u>L9</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>			
<u>L8</u>	(716/13,14,17)![CCLS]	1217	<u>L8</u>
<u>L7</u>	(712/12-18,35-38)[CCLS]	1392	<u>L7</u>
<u>L6</u>	(712/2-300)[CCLS]	11509	<u>L6</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L5</u>	L4 and (configur\$5 or reconfigur\$5)	653	<u>L5</u>
<u>L4</u>	L3 and (programmable or programable or eras\$5)	749	<u>L4</u>
<u>L3</u>	L1 and (analog or digital) near4 (cell\$1 or block\$1)	936	<u>L3</u>
<u>L2</u>	L1 and (analog or digital) near4 (cell\$1 oe block\$1)	1231	<u>L2</u>
<u>L1</u>	(non near1 volatile) and microcontroller\$1	9180	<u>L1</u>

END OF SEARCH HISTORY



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "((((matrix , matrices, array) <near/5> (cell\*, block\*, unit\*, element\*) <and> microco..."  
Your search matched 1 of 54 documents.  
A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.



» Search Options

[View Session History](#)

[New Search](#)

Modify Search

((((matrix , matrices, array) <near/5> (cell\*, block\*, unit\*, element\*) <and> microcon

>>

☐ Check to search only within this results set

» Key

- IEEE JNL IEEE Journal or Magazine
- IEEE JNL IEE Journal or Magazine
- IEEE CNF IEEE Conference Proceeding
- IEEE CNF IEE Conference Proceeding
- IEEE STD IEEE Standard

Display Format:



Citation



Citation & Abstract



1. **Soft-defect detection (SDD) technique for a high-reliability CMOS SRAM**

Kuo, C.; Toms, T.; Neel, B.T.; Jelemensky, J.; Carter, E.A.; Smith, P.;  
Solid-State Circuits, IEEE Journal of  
Volume 25, Issue 1, Feb. 1990 Page(s):61 - 67  
Digital Object Identifier 10.1109/4.50285  
[AbstractPlus](#) | Full Text: [PDF](#) (572 KB) [IEEE JNL](#)




[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((matrix , matrices, array) &lt;near/5&gt; (cell\*, block\*, unit\*, element\*)) &lt;and&gt; microco..."

e-mail

Your search matched 10 of 54 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

Display Format:



Citation



Citation &amp; Abstract

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information:

**1. Architecture of a mixed mode fuzzy controller**

Ungerling, A.P.; Herbst, D.; Weyergraf, A.; Goser, K.;  
Fuzzy Systems, 1995. International Joint Conference of the Fourth IEEE International Conference on  
The Second International Fuzzy Engineering Symposium., Proceedings of 1995 IEEE International  
Volume 3, 20-24 March 1995 Page(s):1191 - 1196 vol.3  
Digital Object Identifier 10.1109/FUZZY.1995.409834

[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) IEEE CNF**2. Approaching evolvable hardware to reality: The role of dynamic reconfiguration and virtual**

Moreno, J.M.; Cabestany, J.; Madrenas, J.; Canto, E.; Faura, J.; Insenser, J.M.;  
Microelectronics for Neural, Fuzzy and Bio-Inspired Systems, 1999. MicroNeuro '99. Proceedings of  
International Conference on  
7-9 April 1999 Page(s):163 - 170  
Digital Object Identifier 10.1109/MN.1999.758860

[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE CNF**3. Electronic converter for the analysis of photovoltaic arrays and inverters**

Sanchis, P.; Echeverria, I.; Ursua, A.; Alonso, O.; Gubia, E.; Marroyo, L.;  
Power Electronics Specialist Conference, 2003. PESC '03. 2003 IEEE 34th Annual  
Volume 4, 15-19 June 2003 Page(s):1748 - 1753 vol.4  
Digital Object Identifier 10.1109/PESC.2003.1217720

[AbstractPlus](#) | Full Text: [PDF](#)(1003 KB) IEEE CNF**4. Incorporating self-testing capabilities into a systolic array cell for digital signal processing**

Chen, C.-I.H.; Smith, R.;  
Systems Engineering, 1990., IEEE International Conference on  
9-11 Aug. 1990 Page(s):240 - 243  
Digital Object Identifier 10.1109/ICSYS.1990.203142

[AbstractPlus](#) | Full Text: [PDF](#)(344 KB) IEEE CNF**5. Low floor trams with IGBT-3-level inverter**

Schutze, T.; Stronisch, V.;  
Power Electronics and Applications, 1993., Fifth European Conference on  
13-16 Sep 1993 Page(s):92 - 96 vol.6

[AbstractPlus](#) | Full Text: [PDF](#)(220 KB) IEEE CNF**6. A VLSI inner product macrocell**